


SPANISH  
ESPAGNOL 

# PLASSON®

Poultry Watering Systems



They Drink It Up...

 **PLASSON®**

World Class Poultry Watering Systems

# Best Results With a Full, Flexible Range of Flow Rates

## List of Parts per 3m (10') section

### Nylon Cord in 50m (164') Rolls

2100084  
(approx. 3m (10') per section)

### Cord Adjuster

2100018  
1 unit

### Suspension Clip

(also used as shocker wire holder when installed in pullet and breeder houses)  
2209016  
1 unit (pullets & breeders: 4 units)

### Aluminium Profile - 3m (10')

2205110  
1 unit

### 25mm PVC pipe - 3m (10')

Available with a choice of 6,7,8,9,10,12, or 15 nipples per section  
2205136/7/8/9/11/2/5  
1 unit

### Connecting Piece

(long connecting piece for breeders & pullets - 2209015)  
2209005  
1 unit

### 1/4" Stainless Steel Bolts x 10mm (3/8")

2209017  
2 units

### 1/4" Stainless Steel Nut

2209018  
2 units

### Insert Fitting for PVC Pipe

2205122  
1 unit

### RED Nipple without tray

2205002  
according to number of perforations in pipe

### YELLOW Nipple without tray

2205202  
according to number of perforations in pipe

### ORANGE Nipple without tray

2205009  
according to number of perforations in pipe

### GREY Nipple with tray

2205000  
according to number of perforations in pipe


### GREEN Nipple with tray











2205515  
according to number of perforations in pipe

### DARK GREEN Nipple with tray

2205517  
according to number of perforations in pipe

# PLASSON'S Nipple Systems



Accessories	Also Available
<p><b>Line Head Kit</b></p> <p>2205730 1 unit per line</p> 	<p><b>Slope Regulator</b></p> <p>2205094 as required by slope of house</p> 
<p><b>Mid House Kit</b></p> <p>2205751 1 unit per line</p> 	<p><b>J-Nipple Maroon</b></p> <p>2205264</p> 
<p><b>Line End Kit</b></p> <p>2205772 1 unit per line</p> 	<p><b>J-Nipple Yellow</b></p> <p>2205223</p> 
<p><b>Nipple Assembly Tool</b></p> <p>2205420 1 unit per installation</p> 	<p><b>J-Nipple Red</b></p> <p>2205214</p> 
<p><b>Filter 1"</b></p> <p>2209079 1 unit per house</p>	<p><b>J-Nipple Orange</b></p> <p>2205218</p> 
<p><b>Flexible Tube 1/2"</b></p> <p>2209085 25M (82') per 4 lines</p>	<p><b>Mini Drinker</b></p> <p>2205500</p> 

## Compact Breeder Drinker



- **Clip**  
2100044
- **20m Nylon Cord (2m per Drinker)**  
2100082
- **Cord Adjuster**  
2100018
- **Handle Hook**  
2140018
- **Water Level Adjuster**  
2140009
- **Mechanism Top**  
2140012
- **Mechanism Lock Collar**  
2140011
- **Stainless Steel Spring**  
2106039
- **Washer**  
2140017
- **Washer Support**  
2140015
- **Mechanism Body**  
2140013
- **Down Spout**  
2140014
- **Bell**  
2106034
- **Hanger Rod**  
2140007
- **Hanger Ballast Nut**  
2140008
- **Ballast Bottle**  
2106033

**Inline Shut-Off (Optional)**  
2208025

**30m Flexible Tube (3m per Drinker) 5.7mm I.D. (9.0mm O.D.)**  
2100077

**Union 1/4" (2 Units)**  
2100039

**Compact Breeder Drinker Complete (10 units per carton)**  
2106000

*\*Circumference of outer lip 112 cm. (44.1"). Standard packing: 20 units complete per carton.  
\*U.S. Pat. No. 4,421,061 and 4,703,721. Patents granted in many other countries.*

## Breeder Drinker

- **Clip**  
2100044
- **20m Nylon Cord (2m per Drinker)**  
2100082
- **Cord Adjuster**  
2100018
- **Union 1/4" (2 Units)**  
2100039
- **Mechanism Cap**  
2102035
- **O-Ring**  
2102038
- **Filter Element**  
2100056
- **Mechanism Pipe**  
2102036
- **Water Level Adjuster**  
2100017
- **Lock-nut**  
2100015
- **Mechanism Spring**  
2102037
- **Valve Assembly Complete**  
2100012
- **Bell**  
2102034
- **Bottle Hanger**  
2102041
- **Ballast Bottle**  
2102033

**30m Flexible Tube (3m per Drinker) 5.7mm I.D. (9.0mm O.D.)**  
2100077

**Breeder Drinker Complete (10 units per carton)**  
2103250

*\*Circumference of outer lip 110 cm. (44"). Standard packing: 10 units complete per carton.*

- **Valve Spring**  
2100013
- **Plunger**  
2100007
- **Washer**  
2100054
- **O-Ring**  
2100021
- **Valve Housing**  
2100016

- **Saddle Connector**  
2100030
- **Saddle Connector With Shut Off**  
2100050
- **Pin Saddle**  
16mm - 2207016  
20mm - 2207020  
25mm - 2207025  
3/4" - 2207077
- **In-Line Shut Off**  
2208025
- **Reducer 1/2"-1/4" (M/M)**  
2100031
- **Reducer 1/2"-1/4" (F/M)**  
2100058
- **Nipple 1/4"-1/4" (M/M)**  
2100026
- **Tee 1/4"-1/4"-1/4" (M/M/M)**  
2100032
- **Tee 1/4"-1/4"-1/4" (M/F/M)**  
2100057
- **Tee 1/4"-1/2"-1/4" (M/M/M)**  
2100033

# PLASSON'S Compact Turkey Drinker



**Compact Turkey Drinker Complete**

2104005

\* Recommended number of Compact Drinkers per 1,000 adult turkeys: 10-12 (12-14 per 1,000 in a warm climate).

\* Circumference of outer lip 140 cm. (55 3/4").

\* Standard packing: 10 units complete per carton

U.S. Pat. No. 4,421,061 and 4,703,721. Patents granted in many other countries.

Clip

2100044

20m Nylon Cord  
(2m per Drinker)

2100082

Cord Adjuster

2100018

Handle Hook

2140018

Water Level  
Adjuster

2140009

Mechanism Top

2140012

Mechanism  
Lock Collar

2140011

Stainless Steel  
Spring

2104039

Washer

2140017

Washer Support

2140015

Mechanism Body

2140013

Down Spout

2140014

Bell

2104033

Hanger Rod

2104038

Hanger Ballast Nut

2140008

Ballast  
Bottle

2140002

Inline Shut-Off  
(Optional)

2208025

30m Flexible Tube  
(3m per Drinker)  
5.7mm I.D.  
(9.0mm O.D.)

2100077

Union 1/4"  
(2 Units)

2100039



Saddle Connector  
2100030



Saddle Connector  
With Shut Off  
2100050



Pin Saddle  
16mm - 2207016  
20mm - 2207020  
25mm - 2207025  
3/4" - 2207077



In-Line Shut Off  
2208025



Reducer 1/2"-1/4"  
(M/M)  
2100031



Reducer 1/2"-1/4"  
(F/M)  
2100058



Nipple 1/4"-1/4"  
(M/M)  
2100026



Tee 1/4"-1/4"-1/4"  
(M/M/M)  
2100032



Tee 1/4"-1/4"-1/4"  
(M/F/M)  
2100057



Tee 1/4"-1/2"-1/4"  
(M/M/M)  
2100033


## PLASSON'S Turkey Drinker

30m Flexible Tube  
(3m per Drinker)  
5.7mm I.D.  
(9.0mm O.D.)  
2100077



Turkey Drinker Complete  
2104350

- Clip  
2100044
- 20m Nylon Cord  
(2m per Drinker)  
2100082
- Cord Adjuster  
2100018
- Union 1/4" (2 Units)  
2100039
- Mechanism Cap  
2102035
- O-Ring  
2102038
- Filter Element  
2100056
- Mechanism Pipe  
2102036
- Water Level Adjuster  
2100017
- Lock-nut 2 units  
2100015
- Mechanism Spring  
2104037
- Valve Assembly Complete  
2100012
- Bell  
2104032
- Bottle Hanger  
2102041
- Ballast Bottle  
2102033



- Valve Spring  
2100013
- Plunger  
2100007
- Washer  
2100054
- O-Ring  
2100021
- Valve Housing  
2100016



\* Recommended number of drinkers per 1,000 adult turkeys:  
10-12 (12-14 Drinkers per 1,000 in a warm climate).  
\* Circumference of outer lip 140 cm. (55<sup>3</sup>/<sub>4</sub>" ).  
\* Standard packing: 10 bells, mechanisms & flexible tubes per carton  
20 ballast bottles per carton.

## PLASSON'S Broiler Drinker



**Broiler Drinker Complete**

2140450

\* Recommended number of drinkers per 1,000 birds: 8-10.

\* Circumference of outer lip 106 cm. (42 1/2").

\* Standard packing: 20 units complete per carton.

U.S. Pat. No. 4,421,061 and 4,703,721. Patents granted in many other countries.

Clip

2100044

20m Nylon Cord  
(2m per Drinker)

2100082

Cord Adjuster

2100018

Handle Hook

2140018

Water Level Adjuster

2140009

Mechanism Top

2140012

Mechanism Lock  
Collar

2140011

Stainless Steel  
Spring

2140016

Washer

2140017

Washer Support

2140015

Mechanism Body

2140013

Down Spout

2140014

Bell

2140004

Hanger Rod

2140007

Hanger Ballast Nut

2140008

Ballast Bottle

2140002

Inline Shut-Off  
(Optional)

2208025

30m Flexible Tube  
(3m per Drinker)  
5.7mm I.D.  
(9.0mm O.D.)

2100077

Union 1/4"  
(2 Units)

2100039



Saddle Connector

2100030



Saddle Connector  
With Shut Off

2100050



Pin Saddle

16mm - 2207016

20mm - 2207020

25mm - 2207025

3/4" - 2207077



In-Line Shut Off

2208025



Reducer 1/2"-1/4"  
(M/M)

2100031



Reducer 1/2"-1/4"  
(F/M)

2100058



Nipple 1/4"-1/4"  
(M/M)

2100026



Tee 1/4"-1/4"-1/4"  
(M/M/M)

2100032



Tee 1/4"-1/4"-1/4"  
(M/F/M)

2100057




Tee 1/4"-1/2"-1/4"  
(M/M/M)

2100033

# PLASSON'S Cage Cups

## Snap-On type

2206040




## Saddle type

2206000




## Screw-In type

2206001



## Cage Starter type

2206050



## List of Parts

No.	Complete	Cat. No.	Parts included	Optional parts
	Snap-on-cup	2206040	1,4,5,6,7,8,9	17,18,19,20,21
	Saddle cup	2206000	2,3,4,5,6,7,8,10	17,18,19,20,21
	Screw-In cup	2206001	1,4,5,6,7,8,11	22
	Cage Starter cup	2206050	4,5,6,7,8,12,13,14,15	16,17,18,19,20,21


## Parts for Plasson cups

No.	Complete	Cat. No.
1	Cup without plate	2206011
2	Cup with plate	2206012
3	Plate clamp	2206013
4	Trigger	2206002
5	Spring	2206010
6	Valve housing	2206003
7	Valve O-ring	2206009
8	Trigger seal	2206007
9	Water inlet clamp	2206006
10	Water inlet for saddle type	2206004
11	Water inlet for Screw-In type	2206005
12	Cage Starter bracket	2206052
13	Cage Starter cup	2206053
14	Ball 7/8"	2206073
15	Strap	2206054
16	Manure shield	2206057
17	5.7mm tube	2100052
18	Pin saddle 16mm	2207016
19	Pin saddle 20mm	2207020
20	Pin saddle 25mm	2207025
21	Pin saddle 3/4"	2207077
22	Saddle for screw in cup	2206025



## Part that can be ordered in assembled form

Valve assembly complete 2206017 4,5,6,7,8



## Cage Cups Accessories

Manure shield	Pin saddle	Plate clamp	Saddle for Screw in Cup per 20mm Pipe
2206057	2207016 - 16mm 2207020 - 20mm 2207025 - 25mm 2207077 - 3/4"	2206013	2206025



**PLASSON , world-leading manufacturer of Poultry Watering Systems,  
is setting the industry standard for more than 3 decades.**

The full range of Plasson's top quality products offers professional solutions for every need:

- **Customized for All Types of Poultry** - from hatching to maturity of Broilers, Breeders, Pullets, Layers, Turkeys and Ducks.
- **Suited to Any Kind of Grower** - whether you are a small-business family farm or a leading integrator.
- **Superbly Climate-Responsive** - the watering systems are customized to meet the demands of any climate conditions, with special expertise in excessively hot climates.
- **Superior Standards of Equipment** - provide fail-safe, low-maintenance and long-term reliable performance that is field-proven worldwide.
- **Unsurpassed Customer Service** - is ensured by Plasson's global network of authorized distributors and warehouses providing expert installation, quick response and rapid delivery of original spare parts to any customer, anywhere in the world.

The bottom line for you, the grower, is:

- Heavier, healthier birds
- Improved feed conversions
- Reduced mortality
- Fewer condemnations
- Drier Floors
- Significant labor savings
- ...and overall higher returns



*R&D keeps Plasson systems on the cutting edge*



**PLASSON®**

World Class Poultry Watering Systems



PLASSON Ltd. Maagan Michael D.N. Menashe 37805 Israel, Tel: +972-4-6394711, Fax: +972-4-6390887  
E-mail: poultry@plasson.co.il, Website: www.plasson.com

© 1985, 1999, Plasson Ltd.